



Ancient Grasslands; England's Forgotten Cultural Heritage






Martin Allen
@botanicalmartin

UK LIDAR from
houseprices.io



















elical Church
erica Fortificată

Viscri 32 (Viscri
Barn restaurant)

Viscri 44

Oficiul poștal Viscri

Loc De Campare
Cu Cortul

Viscri 80

Viscri 125







Mar

Viscri 32 (Viscri
Barn restaurant)











Long Newton


Elton

Long Newton Ln

A67

Google

Imagery ©2018 Google, Getmapping plc, Map





125

116

The Rectory

Almshouses

School

Post Office

119

St. Mary's Ch.

(Rectory)

Grey Horse P.H.

126

119


**Jackside
Wood**

Newton



B.M. 142.5

LONG NEWTON c.1300

(conjectural)




LONG NEWTON c.1300
(conjectural)




LONG NEWTON IN FIRST HALF 17th CENT.

SHOWING DIVISIONS NAMED IN SURVEY OF 1636
AND REPEATED IN 1659




LONG NEWTON IN FIRST HALF 17th CENT.

SHOWING DIVISIONS NAMED IN SURVEY OF 1636
AND REPEATED IN 1659



SHADED AREAS REPRESENT
ARABLE LAND

LONG NEWTON ENCLOSURE AWARD ALLOTMENTS 1659













Betony	<i>Betonica officinalis</i>
Devil's-bit Scabious	<i>Succisa pratensis</i>
Dyer's Greenweed	<i>Genista tinctoria</i>
Saw-wort	<i>Serratula tinctoria</i>
Wood Anemone	<i>Anemone nemorosa</i>
Pignut*	<i>Conopodium majus*</i>
Bitter-vetch	<i>Lathyrus linifolius</i>
Meadow Saxifrage	<i>Saxifraga granulata</i>
Burnet-saxifrage	<i>Pimpinella saxifraga</i>
Pepper-saxifrage	<i>Silaum silaus</i>
Spring-sedge	<i>Carex carophyllea</i>
Great Burnet**	<i>Sanguisorba officinalis**</i>









Common Knapweed	<i>Centaurea nigra</i>
Oxeye Daisy	<i>Leucanthemum vulgare</i>
Common Bird's-foot-trefoil	<i>Lotus corniculatus</i>
Lady's Bedstraw	<i>Galium verum</i>
Common Sorrel	<i>Rumex acetosa</i>
Meadow Vetchling	<i>Lathyrus pratensis</i>
Meadow Buttercup	<i>Ranunculus acris</i>
Ribwort Plantain	<i>Plantago lanceolata</i>
Cowslip	<i>Primula veris</i>
Cat's-ear	<i>Hypochaeris radicata</i>
Crested Dog's-tail	<i>Cynosurus cristatus</i>
Quaking-grass	<i>Briza media</i>
Sweet Vernal-grass	<i>Anthoxanthum odoratum</i>
Yellow Oat-grass	<i>Trisetum flavescens</i>
Red Fescue	<i>Festuca rubra</i>
Common Bent	<i>Agrostis capillaris</i>











More details on my blog at
theintermingledpot.wordpress.com

Ancient Grassland Inventory

Unimproved grassland since 1840

Only about 8,000 ha compared with
over 300,000 ha Ancient woodland

Ancient grassland indicator research.
Intra-specific diversity?

Huge public awareness opportunity



