

10/03/2020

TVNP

Natural Assets Working group (NAWG)

Local Wildlife Site

Site name: **South Bank Station Black Path**

- OS National Grid Ref: NZ5318121243 to NZ5372821371
- Land ownership: Redcar & Cleveland Borough Council?
- Contact: ?
- District: Redcar & Cleveland Borough Council
- Qualifying feature: Urban grassland
- Tees Valley Nature Partnership Qualifying criteria code: U1
- Most recent site survey date: 5 July 2019
- Research and survey undertaken by Martin Allen
- Location of site details and evidence: attached?
- Date of LWS recommendation by Tees Valley Local Nature Partnership: DATE
- Recommended management: Non-intervention; may need periodic cutting and/or disturbance.
- Recent management history: ?
- Site in positive management: Yes (5 July 2019)

Site boundary



Botanical survey

Plants present are given in Table 1. Yellow highlighted species are listed as qualifying species in Appendix 6 of the Guidelines for the Selection of local Wildlife Sites in the Tees Valley (June 2010): Urban Grassland Flora - ten species are required for LWS status (rare plants are not included on this list).

The site supports 15 species.

Table 1

Scientific name	Common name
<i>Acer campestre</i>	Field Maple
<i>Achillea millefolium</i>	Yarrow
<i>Agrostis stolonifera</i>	Creeping Bent
<i>Alnus glutinosa</i>	Alder
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid
<i>Anisantha sterilis</i>	Barren Brome
<i>Anthyllis vulneraria</i>	Kidney Vetch
<i>Arctium</i> sp.	a burdock
<i>Arrhenatherum elatius</i>	False Oat-Grass
<i>Artemisia vulgaris</i>	Mugwort
<i>Ballota nigra</i>	Black Horehound
<i>Bellis perennis</i>	Daisy
<i>Bromus hordeaceus</i>	Soft-brome
<i>Calystegia sepium</i>	Hedge Bindweed
<i>Catapodium rigidum</i>	Fern-grass
<i>Centaurea nigra</i>	Common Knapweed
<i>Centranthus ruber</i>	Red Valerian
<i>Cerastium fontanum</i>	Common Mouse-ear
<i>Chamerion angustifolium</i>	Rosebay Willowherb
<i>Chenopodium album</i>	Fat-hen
<i>Cirsium arvense</i>	Creeping Thistle
<i>Cirsium vulgare</i>	Spear Thistle
<i>Conium maculatum</i>	Hemlock
<i>Cornus alba</i>	White Dogwood
<i>Cotoneaster simonsii</i>	Himalayan Cotoneaster
<i>Crataegus monogyna</i>	Hawthorn
<i>Crepis capillaris</i>	Smooth Hawk's-beard
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax
<i>Dactylis glomerata</i>	Cock's-foot
<i>Daucus carota</i> subsp. <i>carota</i>	Wild Carrot
<i>Diplotaxis tenuifolia</i>	Perennial Wall-rocket
<i>Dipsacus fullonum</i>	Wild Teasel
<i>Elytrigia repens</i>	Common Couch
<i>Elytrigia repens</i> f. <i>aristata</i>	Common Couch
<i>Epilobium parviflorum</i>	Hoary Willowherb
<i>Epilobium tetragonum</i>	Square-stalked Willowherb
<i>Equisetum arvense</i>	Field Horsetail
<i>Festuca rubra</i>	Red Fescue
<i>Fraxinus excelsior</i>	Ash
<i>Galium album</i>	Hedge Bedstraw
<i>Galium aparine</i>	Cleavers

<i>Galium verum</i>	Lady's Bedstraw
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill
<i>Geranium pratense</i>	Meadow Crane's-bill
<i>Geranium robertianum</i>	Herb-Robert
<i>Geum urbanum</i>	Wood Avens
<i>Hedera helix</i>	Ivy
<i>Heracleum sphondylium</i>	Hogweed
<i>Hirschfeldia incana</i>	Hoary Mustard
<i>Holcus lanatus</i>	Yorkshire-fog
<i>Hordeum murinum</i>	Wall Barley
<i>Hypericum perforatum</i>	Perforate St John's-wort
<i>Hypochaeris radicata</i>	Cat's-ear
<i>Knautia arvensis</i>	Field Scabious
<i>Lactuca virosa</i>	Great Lettuce
<i>Lamium album</i>	White Dead-nettle
<i>Lathyrus pratensis</i>	Meadow Vetchling
<i>Lepidium draba</i>	Hoary Cress
<i>Leucanthemum vulgare</i>	Oxeye Daisy
<i>Linaria purpurea</i>	Purple Toadflax
<i>Linaria vulgaris</i>	Common Toadflax
<i>Lolium perenne</i>	Perennial Rye-grass
<i>Lonicera japonica</i>	Japanese Honeysuckle
<i>Malva sylvestris</i>	Common Mallow
<i>Medicago lupulina</i>	Black Medick
<i>Medicago sativa</i> nothosubsp. <i>varia</i>	Sand Lucerne
<i>Melilotus altissimus</i>	Tall Melilot
<i>Melilotus officinalis</i>	Ribbed Melilot
<i>Odontites vernus</i>	Red Bartsia
<i>Papaver rhoeas</i>	Common Poppy
<i>Papaver somniferum</i>	Opium Poppy
<i>Pastinaca sativa</i> subsp. <i>sylvestris</i>	Wild Parsnip
<i>Phalaris canariensis</i>	Canary Grass
<i>Phleum bertolonii</i>	Smaller Cat's-tail
<i>Phleum pratense</i>	Timothy
<i>Plantago lanceolata</i>	Ribwort Plantain
<i>Poa annua</i>	Annual Meadow-grass
<i>Polygonum aviculare</i>	Knotgrass
<i>Populus tremula</i>	Aspen
<i>Populus x canescens</i>	Grey Poplar (P. alba x tremula)
<i>Potentilla reptans</i>	Creeping Cinquefoil
<i>Prunella vulgaris</i>	Selfheal
<i>Prunus avium</i>	Wild Cherry
<i>Ranunculus acris</i>	Meadow Buttercup

<i>Ranunculus repens</i>	Creeping Buttercup
<i>Reseda lutea</i>	Wild Mignonette
<i>Reseda luteola</i>	Weld
<i>Rosa rugosa</i>	Japanese Rose
<i>Rosa</i> sp.	a Rose
<i>Rubus fruticosus</i>	Bramble
<i>Rumex crispus</i>	Curled Dock
<i>Rumex obtusifolius</i>	Broad-leaved Dock
<i>Salix caprea</i>	Goat Willow
<i>Salix</i> sp.	a sallow
<i>Salix</i> sp.	a sallow
<i>Sambucus nigra</i>	Elder
<i>Sambucus nigra</i>	Elder (yellow leaved)
<i>Securigera varia</i>	Crown Vetch
<i>Senecio erucifolius</i>	Hoary Ragwort
<i>Senecio inaequidens</i>	Narrow-leaved Ragwort
<i>Senecio jacobaea</i>	Common Ragwort
<i>Senecio squalidus</i>	Oxford Ragwort
<i>Sinapis arvensis</i>	Charlock
<i>Sonchus oleraceus</i>	Smooth Sow-thistle
<i>Sorbus aucuparia</i>	Rowan
<i>Stachys sylvatica</i>	Hedge Woundwort
<i>Symphoricarpos albus</i>	Snowberry
<i>Taraxacum</i> sp.	Dandelion
<i>Tragopogon pratensis</i>	Goat's-beard
<i>Trifolium arvense</i>	Hare's-foot Clover
<i>Trifolium campestre</i>	Hop Trefoil
<i>Trifolium dubium</i>	Lesser Trefoil
<i>Trifolium pratense</i>	Red Clover
<i>Trifolium repens</i>	White Clover
<i>Tripleurospermum inodorum</i>	Scentless Mayweed
<i>Trisetum flavescens</i>	Yellow Oat-grass
<i>Tussilago farfara</i>	Colt's-foot
<i>Urtica dioica</i>	Common Nettle
<i>Veronica persica</i>	Common Field-speedwell
<i>Vicia cracca</i>	Tufted Vetch
<i>Vicia parviflora</i>	Slender Tare
<i>Vicia sativa</i>	Common Vetch
<i>Vicia sepium</i>	Bush Vetch
<i>Viola arvensis</i>	Field Pansy
<i>Vulpia myuros</i>	Rat's-tail Fescue

Photograph of site, taken 5th July 2019



End